
OstenOil®
MADE IN GERMANY
PRODUCT CATALOG
WWW.OSTENOIL.DE INFO@OSTENOIL.DE

CATALOGUE INDEX

OstenOil®
MADE IN GERMANY

ENGINE OILS FOR PASSENGER CARS PAGE 01-07

ENGINE OILS FOR COMMERCIAL VEHICLES PAGE 08-09

AUTOMATIC TRANSMITION FLUID PAGE 10-13

MANUAL TRANSMISSION FLUID PAGE 14

Additives PAGE 15



OSTEN OIL PSA

SAE 5W-30

High-alloyed all-season oil for those passenger car engines which require fuel economy (FE) oils.

PRODUCT CODE
NS177

VoL.	Art Nr.
1L	NS177-001
4L	NS177-004
5L	NS177-005
20L	NS177-020
208L	NS177-208

- ACEA C2/A1/B1
- ACEA A5/B5
- API SN
- ILSAC GF-5
- Toyota • Mitsubishi • Subaru
- Honda • KIA • Mazda • Hyundai
- Renault RN 0700 PSA B71 2290
- Fiat 9.55535-S1



ALL SEASON

OSTEN OIL AJK

SAE 5W-20

Fully Synthetic Fuel-Efficient low friction Engine Oil.
- stable lubrication film at all operation conditions
- outstanding cold starting properties
- low oil consumption and high fuel efficiency

PRODUCT CODE
NS152

VoL.	Art Nr.
1L	NS152-001
4L	NS152-004
5L	NS152-005
20L	NS152-020
208L	NS152-208

- API SP
- ILSAC GF-6A
- GM dexos1 Gen 2
- Ford WSS-M2C960
- Chrysler MS-6395
- Daihatsu • Honda • Isuzu • Kia
- Lexus • Mazda • Nissan
- Subaru • Suzuki • Toyota



FLLY SYNTHETIC

OSTEN OIL JKO

SAE 10W-30

Semi Synthetic Fuel-Efficient low friction Engine Oil.

PRODUCT CODE
NS194

VoL.	Art Nr.
1L	NS194-001
4L	NS194-004
5L	NS194-005
20L	NS194-020
208L	NS194-208

- API SP
- ILSAC GF-6A
- GM dexos1 Gen 2
- Ford WSS-M2C960
- Chrysler MS-6395
- Daihatsu • Honda • Isuzu • Kia
- Lexus • Mazda • Nissan • Subaru
- Suzuki • Toyota



LOW FRICTION

OSTEN OIL BMO

SAE 5W-40

Fully Synthetic low friction oil of the new "Low SAP"- generation for passenger car engines with exhaust aftertreatment devices (catalytic converter, diesel particulate filter) and without.

PRODUCT CODE
NS204

VoL.	Art Nr.
1L	NS204-001
4L	NS204-004
5L	NS204-005
20L	NS204-020
208L	NS204-208

- API SN/CF
- ACEA C3
- BMW Longlife-04
- Renault RN0700/RN0710 • Ford WSS-M2C917A
- Fiat 9.55535-S2 • GM dexos 2 • MB 226.5
- VW 502 00 / 505 00 / 505 01 (unit-injector systems)
- Porsche A40 • MB 229.51 (deckt MB 229.31 ab)



OSTEN OIL MBV SAE 5W-30

High performance low friction motor oil for passenger cars with exhaust aftertreatment and without.

PRODUCT CODE
NS244

VoL.	Art Nr.
1L	NS244-001
4L	NS244-004
5L	NS244-005
20L	NS244-020
208L	NS244-208

- API SN/CF
- ACEA C3/A3/B4
- VW 502 00/505 00/505 01 (unit-injector systems)
- VW 502 00/505 00/505 01 (PD)
- Opel GM Dexos 2 • MB 226.5
- Renault RN 0700 / 0710
- GM dexos 2 • BMW Longlife-04



LOW FRICTION

OSTEN OIL OTSI SAE 5W-30

Fully synthetic high-performance low friction oil for passenger cars and light commercial vehicles.

PRODUCT CODE
NS357

VoL.	Art Nr.
1L	NS357-001
4L	NS357-004
5L	NS357-005
20L	NS357-020
208L	NS357-208

- API SN/CF
- ACEA A3-/B4-12
- Porsche A 40
- EAN CODE 4035134505134
- Renault RN 0710/0700
- Opel GM-LL-B-025
- PSA B71 2296
- Fiat 9.55535-M2
- VW 502 00 / 505 00
- MB 229.3



FLY SYNTHETIC

OSTEN OIL FMO

SAE 5W-30

PRODUCT CODE
NS332

VoL.	Art Nr.
1L	NS332-001
4L	NS332-004
5L	NS332-005
20L	NS332-020
208L	NS332-208

High performance low friction oil, which is made from base oils of the synthesis technology. It is foreseen for passenger cars equipped with exhaust aftertreatment devices (catalytic converter, diesel particulate filter).

- ACEA C4
- MB 226.51
- MB 229.31
- MB 229.51
- Renault RN0720 with DPF



LOW FRICTION

OSTEN OIL RTB

SAE 5W-40

PRODUCT CODE
NS367

VoL.	Art Nr.
1L	NS367-001
4L	NS367-004
5L	NS367-005
20L	NS367-020
208L	NS367-208

Fully Synthetic high performancelow friction oil, especially for modern enhanced fuel-injected-andturbocharged engines.

- API SN/CF
- ACEA A3/B4
- VW 502 00 / 505 00 • MB 226.5
- BMW Longlife-01 • Porsche A40
- Renault RN0700 und RN0710
- Opel GM-LL-B-025 • PSA B71 2296
- Lamborghini
- Maserati



FLLY SYNTHETIC

OSTEN OIL ODPF SAE 5W-30

PRODUCT CODE
NS180

VoL.	Art Nr.
1L	NS180-001
4L	NS180-004
5L	NS180-005
20L	NS180-020
208L	NS180-208

Modern high performance low friction oil for passenger cars with gasoline- and diesel-engines for the latest engine generations of the VW group.



LOW FRICTION

ACEA C3
VW 504 00 / 507 00
BMW Longlife-04
MB 229.51

OSTEN OIL RNS SAE 10W-60

PRODUCT CODE
NS252

VoL.	Art Nr.
1L	NS252-001
4L	NS252-004
5L	NS252-005
20L	NS252-020
208L	NS252-208

Fully synthetic high performance low friction oil for racy high-tech gasoline and diesel engines of passenger cars.



FLLY SYNTHETIC

API SN/CF
ACEA A3/B4

MADE IN GERMANY

OSTEN OIL NS

SAE 0W-20

Fully synthetic high-performance engine oil for vehicles of VW Group.

PRODUCT CODE
NS120

VoL.	Art Nr.
1L	NS120-001
4L	NS120-004
5L	NS120-005
20L	NS120-020
208L	NS120-208

- API SN PLUS
- ACEA C5
- VW TL 52577
- Porsche C20
- VW-Norm 508 00 and 509 00



LOW FRICTION

OSTEN OIL SSO

SAE 10W-40

High performance low friction oil for passenger cars gasoline- and diesel-engines.

PRODUCT CODE
NS345

VoL.	Art Nr.
1L	NS345-001
4L	NS345-004
5L	NS345-005
20L	NS345-020
208L	NS345-208

- API SN/CF
- ACEA A3/B4
- VW 502 00 /505 00
- MB 229.3 (covers MB 229.1)
- Renault RN 0700
- PSA B71 2296



FLLY SYNTHETIC

OSTEN OIL ONS SAE 20W-50

PRODUCT CODE
NS390

VoL.	Art Nr.
1L	NS390-001
4L	NS390-004
5L	NS390-005
20L	NS390-020
208L	NS390-208


Multigrade motor oil to be used in passenger cars gasoline and diesel engines.
– extended viscosity range
– prevents deposits and plugging in the oil circuit
– very good wear protection



MULTIGRADE

API SL/CF

MADE IN GERMANY



OSTEN OIL NS DIESEL

SAE 10W-40

High performance low friction oil for highest standards.

API CI-4/CF/SL
ACEA E7
Caterpillar ECF-1a & ECF-2
Cummins CES 20077 / 20078
DDC 93K215 • Global DHD-1
Jaso DH-1 • Mack EO-M Plus & EO-N
MAN M 3275 • MB 228.3
MTU Type 2 • Renault RLD/RLD2
VOLVO VDS-3 • DEUTZ DQC III-10



PRODUCT CODE
NS332

VoL.	Art Nr.
1L	NS332-001
4L	NS332-004
5L	NS332-005
20L	NS332-020
208L	NS332-208

ACEA E7

OSTEN OIL OTM

SAE 15W-40

High performance low friction oil for highest standards.

PRODUCT CODE
NS333

VoL.	Art Nr.
1L	NS333-001
4L	NS333-004
5L	NS333-005
20L	NS333-020
208L	NS333-208

API CI-4 /CF/SL
ACEA E7
Caterpillar ECF-1a & ECF-2
Cummins CES 20077 / 20078
DDC 93K215 • Global DHD-1
Jaso DH-1 • Mack EO-M Plus & EO-N
MAN M 3275 • MB 228.3
MTU Type 2 • Renault RLD/RLD2
VOLVO VDS-3



FLLY SYNTHETIC

OSTEN OIL DIESEL TRUCK

SAE 10W-40

Semi-synthetic high performance low friction diesel oil. Due to reduced sulfur-, phosphor- and ash content suitable for exhaust aftertreatment systems for EURO 5 and EURO 6 commercial car engines.

PRODUCT CODE
NS388

VoL.	Art Nr.
1L	NS388-001
4L	NS388-004
5L	NS388-005
20L	NS388-020
208L	NS388-208

- API CI-4
- ACEA E9 / E7 / E6
- MTU Typ 3.1 • Renault Truck RXD/RGD
- CAT ECF-1-a • Cummins CES 20076, 20077
- Mack EO-M Plus • Deutz DQC IV-10 LA
- Volvo CNG • Scania LA • DAF
- MAN M3477, MAN 3271-1
- MB 228.51 (covers MB 226.9)
- Volvo VDS-3 • Mack EO-N
- Renault VI RLD-2





OSTEN OIL ATF DXIII H

(Red / Yellow)

Gear oil to be used in automatic transmissions, steering boosters, fluid couplings, hydrodynamic converters and for hydraulics in motor cars, trucks, busses and construction vehicles, if an ATF of Dexron III H - type is recommended.

ATF DXIII H

DEXRON III H & G

- GM Dexron III H and III G
- MB 236.1 / 236.5 / 236.6 / 236.7
- Voith 55.6335 & 55.6336
- Allison C-4 / TES 389
- MAN 339 Typ Z-1 & V-1 / Z2 & V2
- Ford Mercon
- Ford M2C138-CJ, M2C166-H
- Volvo 97340 / 97341
- ZF TE-ML 02F, 04D, 09, 11A, 14A, 17C

PRODUCT CODE

NS812

VoL.	Art Nr.
1L	NS812-001
4L	NS812-004
5L	NS812-005
20L	NS812-020
208L	NS812-208



OSTEN OIL ATF DX VI

(Red / Yellow)

Automatic gearbox fluid for use in European, American and many Asian cars.

ATF DX VI

DEXRON VI

PRODUCT CODE

NS882

VoL.	Art Nr.
1L	NS882-001
4L	NS882-004
5L	NS882-005
20L	NS882-020
208L	NS882-208

DEXRON VI

Aisin Warner AW-1 • Aisin Warner JWS 3324 • Bentley P/N PY112995PA
BMW/Mini P/N 83 22 0 142 516 • BMW/Mini P/N 83 22 0 397 114
BMW/Mini P/N 83 22 2 163 514 (BMW 8072 B)
Chrysler/Dodge/Jeep P/N 05127382AA
Chrysler/Dodge/Jeep P/N 68043742AA
Daimler / Mercedes MB 236.12, 236.14, 236.41
FORD/Lincoln/Mercury P/N XT-10-QLV [LV]
FORD/Lincoln/Mercury P/N XT-6-QSP or -DSP [SP]
GM/GMC/Opel/Saturn AW1
GM/GMC/Opel/Saturn P/N 88863400, 88863401 • Honda/Acura DW-1
Honda 082000-9017 (ATF Type 3.1) • Hyundai/Kia NWS-9638 T-5
Hyundai/Kia P/N 040000C90SG • Hyundai/Kia SP-IV / SPH-IV
Jaguar Fluid 8432 • JASO M315, Class 1A
Land Rover P/N TYK500050, LR0022460
Maserati P/N 231603 • Mazda FW 6A EL, FW 6AX EL • Mazda FZ
Mercon LV • Mitsubishi ATF-J3 • Mitsubishi SP-IV
Nissan/Infinity Matic-S • Porsche P/N 000 043 304 00
Saab P/N 93 165 147 – AW-1 • Shell 3353, Shell 134, Shell 1375.4
Toyota/Lexus/Scion WS • VW/Audi G 052 533, G 055 005 (-A, A2)
VW/Audi G 055 540 (A2)

OSTEN OIL ATF DSG

High performance automatic transmission fluid (ATF), which was developed for the latest generation of Dual Clutch Transmissions.

PRODUCT CODE
NS888

VoL.	Art Nr.
1L	NS888-001
4L	NS888-004
5L	NS888-005
20L	NS888-020
208L	NS888-208



ATF DSG

Audi / Volkswagen / Seat / Skoda
G 052 182 A2/A6 (TL 52 182) • G 052 529 A2/A6 (TL 52 529) • G 055 529 (TL 52 529-C)
BMW
DCTF-1 (83 220 440 214) • MTF-LT-5 (83 22 2167 666) • 83 22 0397 244 83 22 2147 477 • 83 22 2 148 578 • 83 22 2 148 579 • 83 22 2 446 673
Bugatti Veyron
Citroen / Peugeot • 6DCT451 (PSA 9734.S2)
Chrysler Powershift 6-Speed (Getrag) • 68044345 EA & GA
Ferrari - TF DCT-F3
Ford/Nissan Powershift 6-Speed (GFT)
Ford - WSS-M2C-936-A, WSS-M2C-200-D2
Mercedes Benz
MB 236.25 • MB 236.21 • MB 236,24
Mitsubishi - Diamond Queen SSTF-1, TC-SST 6-Speed (GFT)v
Renault EDC 6-Speed (Getrag) • BOT 450
Porsche
043 207 29 • 043 207 30 • 000 043 20 • 000 043 305 13 • 999 917 080 00 000 043 210 44 • 971 094 307 02A
Volvo Powershift 6-Speed (GFT)/1161838/1161839
ZF TE-ML 11 (ZF004743)

OSTEN OIL ATF 8 HP

HC-Synthetic High Performance Automatic Transmission Fluid specially for modern ZF 6-/8-/ and 9-shift automatic transmission recommended.


PRODUCT CODE
NS862

VoL.	Art Nr.
1L	NS862-001
4L	NS862-004
5L	NS862-005
20L	NS862-020
208L	NS862-208

MADE IN GERMANY

ATF 8 HP

BMW L12108 (83 22 2 152 426)
BMW 83 22 2 305 397
BMW 83 22 2 289 720
Chrysler 68157995AA
Jaguar 02JDE 26444
Land Rover LR 023288
VW / Audi G 060 162 A1/A2/A6, G 055 162 (A2, A6)
ZF Lifeguardfluid 8 (S671 090 312)



OSTEN OIL GEAR GL4

Multipurpose EP gear oil for synchronized and non-synchronized manual transmissions as well as certain steering and axle transmissions.

SAE 80W-90

API GL-4
MB 235.1
MAN 341 E-1
ZF TE-ML 06L, 08, 16A, 17A, 19A, 19C

PRODUCT CODE
NS902

VoL.	Art Nr.
1L	NS902-001
4L	NS902-004
5L	NS902-005
20L	NS902-020
208L	NS902-208

OSTEN OIL GEAR GL4

Semi-synthetic low friction EP gear oil for synchromesh and non-synchromesh manual gears as well as for certain steering gears and axle drives.

SAE 75W-90

API GL-4
MAN 341 E-1 + Z-2, MB 235.1
ZF TE-ML 02B, 16A, 17A, 19C

PRODUCT CODE
NS904

VoL.	Art Nr.
1L	NS904-001
4L	NS904-004
5L	NS904-005
20L	NS904-020
208L	NS904-208

OSTEN Fuel system cleaner & care

The entire fuel system will be cleaned for a perfect fuel nebulization at the nozzles and valves. Binds condensed water and ensures a clean and powerful combustion, good performance, low fuel consumption and optimum values of exhaust gas. Recommended for all petrol-powered engines e.g. FSI, incl. turbo engines and cat.

Application:
Add to the fuel tank.

PRODUCT CODE
NS080

OSTEN Diesel system cleaner & care

Removes dirt and resin from the entire diesel system. Takes care of an ideal spray pattern and best efficiency the high-pressure pump.Recommended for all diesel engines, soot particle filter, cat and turbo.
Application:
Add to the fuel tank.

PRODUCT CODE
NS070

OSTEN Diesel particle filter cleaner

Regeneration helps in Diesel Particle Filter Systems permanent and complete filter cleaning during driving the most economical way of particle filter cleaning and protection suitable in all diesel engines.
Application:
Add to the diesel fuel tank

PRODUCT CODE
NS060


OstenOil
MADE IN GERMANY
SSO
10W-40

OstenOil®

MADE IN GERMANY



WWW.OSTENOIL.DE

INFO@OSTENOIL.DE